

Tactical Operations of Multi-Robot Teams in Urban Warfare (Demonstration)*

Peter Novák

Antonín Komenda

Viliam Lisý

Branislav Bošanský

Michal Čáp

Michal Pěchouček

Agent Technology Center, Dept. of Computer Science and Engineering, FEE
Czech Technical University in Prague, Czech Republic

ABSTRACT

With scaling of multi-robot teams deployed in military operations, there is a need to boost autonomy of individual, as well as team behaviors. We developed a feature-rich simulation testbed for experimental evaluation of multi-agent coordination mechanisms applicable in tactical military operations in urban warfare. In particular, we investigated and implemented four approaches including multi-agent mission planning and plan repair, reactive planning for teamwork, patrolling of mobile targets, and tracking of smart targets. Besides the live-system demonstrator, we aim to showcase a scenario engaging a human in a pursuit-evasion game against the algorithms we implemented.

Categories and Subject Descriptors

I.2.11 [Artificial Intelligence]: Distributed Artificial Intelligence—*Intelligent agents, Multi-agent systems*

Keywords

tactical operations, game theory, multi-agent coordination and teamwork, planing and plan repair, simulation toolkits

1. ROBOTS IN TACTICAL OPERATIONS

Maturing of hardware robotic technologies enabled a widespread utilization of robots as a supportive technology in military operations. Their use in urban warfare has proven its merits, be it in bomb disarmament, or information-collection tasks, such as area surveillance or tracking of mobile targets. While the state-of-the-art techniques for robot control based on teleoperation suffice for handling individual robots, they do not scale well to larger-scale operations. Missions like performing several information-collection tasks concurrently in a geographically large urban area are, however, well in reach of the modern hardware technology. In turn, there is a growing need for development of mechanisms for autonomous operation of multi-robot teams in such scenarios.

Here we report on results of the project Tactical AgentScout¹ carried out by our group in the years 2009–2011, in which we studied *coordination mechanisms for multi-agent systems in the context*

*Demo video: <http://agents.cz/download/tas2/>

¹<http://agents.cz/projects/agentscout2/>

Appears in: *Proceedings of the 11th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2012)*, Conitzer, Winikoff, Padgham, and van der Hoek (eds.), June, 4–8, 2012, Valencia, Spain.

Copyright © 2012, International Foundation for Autonomous Agents and Multiagent Systems (www.ifaamas.org). All rights reserved.



Figure 1: Tactical AgentScout simulator facilitates rich models of physical reality and supports physical mobility dynamics of robots, such as ground and aerial vehicles, be it fixed-wing aircraft, helicopters or various rotorcraft.

of tactical military operations in urban warfare. A typical scenario involves a mixed human-robot team acting in an urban area so as to find and arrive to a safe-house where a person of interest is held, secure the person and finally escort it to a given destination where the mission ends. To support an experimental evaluation of four particular multi-agent coordination techniques we studied, we implemented an agent-based simulator. It allows us to test the resulting agent behaviors in more realistic settings and provides a visually attractive and interactive live-system demonstrator.

2. MULTI-AGENT COORDINATION

We studied four coordination techniques in the context of a rescue scenario in a hostile urban environment. Each approach comes with a test-case demonstrator and an accompanying video material, which are a part of the live-system demonstrator.

Multi-agent planning and plan repair

To carry out the rescue scenario, the team of cooperative robots with heterogeneous capabilities needs to plan the mission including the coordination among the team members, none of which is able to complete it without a help of the others. The hostile urban area represents a highly dynamic environment in which action and in turn also high-level task execution often fails.

We investigated techniques of fully decentralized mission planning and subsequent plan repair in the case of a plan failure [2]. At the heart of our approach lies a multi-agent extension of classical

planning based on distributed constraint satisfaction. For the case of a plan failure, we proposed several decentralized plan repair algorithms preserving as much of the original plan as possible. The planning, execution, monitoring and plan repair components are all fully distributed and based on a state-of-the-art multi-agent planning approach MA-STRIPS. Our experiments demonstrate that in a case of an unexpected plan failure, decentralized plan repair leads to a lower communication overhead than a naive replanning.

Reactive planning for teamwork

Predictability of peer behavior is of paramount importance in mixed human-robot teams in military scenarios, such as traversal of cluttered urban environment by an alert squad. Execution of pre-scripted behaviors is more suitable in such contexts in contrast to fully automated mechanisms for activity planning.

We studied extensions of agent-oriented programming techniques to multi-agent teamwork programming and coordination. We employed and adapted the framework of *Distributed Commitment Machines* (DCM) and formulated mission specifications as interconnected networks of individually executable agent commitments. A DCM takes care of both activation of new commitments succeeding the completed ones, as well as correct handling of plan interruptions. Our initial experiments indicate that the DCM framework is a promising tool for concise specification of team-level missions and that reactive agent programs implementing a DCM-based mission specification are capable of generating correct and elaboration tolerant behavior patterns.

Patrolling of mobile targets

Convoys traversing a hostile urban area need to be protected. Firstly, an aerial patrol needs to re-visit the convoys sufficiently often to minimize the window of opportunity for the adversary to attack. Secondly, the patrol's route must be randomized so as to minimize its own predictability assuming the adversaries observe the patrol.

To model the scenario, we used a computational game-theoretic model termed *patrolling games* [1], which we extended with the concept of mobile targets that correspond to the traversing convoys. We use *Strong Stackelberg Equilibrium* (SSE) as the solution concept in the patrolling games. In turn, we formalized computing SSE as finding a solution to a set of non-linear mathematical programs. We performed an experimental evaluation of the model on a scenario with a large number of adversaries aiming to attack the convoys and compared the game-theoretic approach with the deterministic patrolling strategy. Our technique achieved better results even though a number of simplifying assumptions of the mathematical model were not met in the experimental environment.

Tracking of smart targets

Smart targets are those aware that they are being pursued and try to actively avoid the tracker. Tracking of such targets is particularly challenging due to the need to be able to predict the adversary's moves and execute a rational behavior against its best strategies.

Our solution was based on a game-theoretic model of *pursuit-evasion game with imperfect-information* [3]. We model the visibility-based pursuit-evasion game as an imperfect-information extensive form game. The game is too large to compute its exact Nash equilibrium, hence we use the information-set search approach with paranoid opponent model that computes a guaranteed strategy of the players. To meet the real-time computational constraints, we used Monte Carlo tree search to explore the information-set trees. Our experimental results indicate that this combination of techniques allows creating a successful autonomous team of pursuers in practically large domains with real-time computational constraints.

3. DEMONSTRATOR

Our aim is to demonstrate the results of the project embodied in a multi-agent simulator testbed, as well as the underlying technological platform. To this end, we will demonstrate the live Tactical AgentScout system running a series of example scenarios showcasing the multi-agent coordination mechanisms discussed above in an example of a tactical rescue mission in a simulated complex urban environment. The example multi-robot systems are embodied in a simulated physical environment developed in an in-house agent toolkit Alite². Besides facilitating *en masse* experimental data collection, the platform enables rapid modeling of various types of robotic assets (see Figure 1), including features such as physical dynamics of vehicles, physical occlusions, 3D landscape, both discrete, as well as event-based simulations, etc.

Furthermore, the live-system demonstration will be accompanied by an interactive interface allowing a human subject to engage the implemented game-theoretic algorithms in a pursuit-evasion game. The human will be able to control the evader in two basic modes: the full information scenario presenting all the information about the state of the simulation, and an incomplete-information mode providing the evader with only limited sensory data about the world (e.g., unknown positions of the pursuers). The first mode supports debugging and analysis of the algorithms, while the later facilitates evaluation of the methods against a human adversary.

4. DISCUSSION AND FINAL REMARKS

Development and evaluation of multi-agent coordination algorithms targeting their deployment on robotic assets is a challenging task. On one hand, evaluation on target physical platforms is expensive and possibly even risky, or legally problematic (e.g., flight permissions). On the other, testing in simulations is prone to neglect important, but often not obvious constraints of the physical reality. Our approach is innovative in that we experimentally evaluate the techniques in high-fidelity simulations allowing us to model relevant physical features in detail, be it visibility occlusions by buildings, interactions of terrain with physical dynamics of ground vehicles, etc. The natural next step, a subject of an on-going intensive effort in our group, is to adapt and deploy the coordination techniques to real-world robotic hardware, in our case unmanned aircrafts. The underlying multi-agent toolkit Alite provides an open and flexible platform for rapid implementation of the supporting infrastructure in terms of series of experimental simulations and mixed-reality simulations.

Acknowledgements

Supported by the U.S. Army CERDEC grant W911NF-10-1-0112. Authors thank Dušan Pavlíček for production of demonstration videos.

5. REFERENCES

- [1] Branislav Božanský, Viliam Lisý, Michal Jakob, and Michal Pěchouček. Computing time-dependent policies for patrolling games with mobile targets. In *Proceedings of AAMAS 2011*, May 2011.
- [2] Antonín Komenda, Peter Novák, and Michal Pěchouček. Decentralized multi-agent plan repair in dynamic environments. In *Proceedings of AAMAS 2012*, 2012.
- [3] Viliam Lisý, Branislav Božanský, and Michal Pěchouček. Anytime algorithms for multi-agent visibility-based pursuit-evasion games. In *Proceedings of AAMAS 2012*.

²<http://agents.cz/projects#alite>